

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)  
Classifications according to Regulation (EC) No 1272/2008.  
Printdate 17 Dec 2024

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product name:

Parathion-ethyl

### 1.1. Catalog No.:

674550

### 1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical  
uses: R&D

### 1.3. Uses advised against:

HPC Standards GmbH  
Am Wieseneck 7

04451 Cunnersdorf  
Deutschland

Tel. +49 34291 3372-36  
Fax. +49 34291 3372-39  
contact@hpc-standards.com

### 1.4. Emergency telephone number

HPC Standards Tel. +49 34291 3372-36  
This number is only available during office hours.

## 2. HAZARDS IDENTIFICATION

### 2.2. Label elements

#### 2.2.1. Pictogram



#### 2.2.2.

2.1 Classification of the substance or mixture  
· Classification according to Regulation (EC) No 1272/2008  
GHS06 skull and crossbones  
Acute Tox. 2 H300 Fatal if swallowed.  
Acute Tox. 3 H311 Toxic in contact with skin.  
Acute Tox. 2 H330 Fatal if inhaled.  
GHS08 health hazard  
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Signal word Danger

· Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H311 Toxic in contact with skin.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Chemical characterisation: Substances

· CAS No. Description

56-38-2 parathion (ISO)

· Identification number(s) None

· EC number: 200-271-7

· Index number: 015-034-00-1

· RTECS: TF 4550000

### 3.1.1. Formula

C<sub>10</sub>H<sub>14</sub>NO<sub>5</sub>PS

### 3.1.2. Molecular Weight (g/mol)

291.26

### 3.1.3. CAS-No.

56-38-2

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

Remove breathing equipment only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient in recovery position for transport.

Seek immediate medical advice.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse mouth. Do not induce vomiting.

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

### 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

### 5.3 Advice for firefighters

#### · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: Lists used were valid at the time of SDS preparation.

### 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374

Protective gloves

- Material of gloves Butyl rubber, BR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Tightly sealed goggles

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- General Information
- Appearance:  
Form: Liquid
- Colour: Yellowish
- Odour: Acrid
- Odour threshold: Not determined.
- pH-value: Not determined.
- Change in condition
- Melting point/freezing point: 6.1 °C
- Initial boiling point and boiling range: 375 °C
- Flash point: 120 °C
- Flammability (solid, gas): Not determined.
- Ignition temperature: Not determined
- Decomposition temperature: Not determined.
- Auto-ignition temperature: Not determined.
- Explosive properties: Not determined.
- Explosion limits:  
Lower: Not determined.
- Upper: Not determined.
- Vapour pressure at 20 °C: 0.0000076 hPa
- Density at 20 °C: 1.2667 g/cm<sup>3</sup>
- Relative density Not determined.
- Vapour density Not determined.
- Evaporation rate Not determined.
- Solubility in / Miscibility with  
water at 20 °C: 0.024 g/l
- Partition coefficient: n-octanol/water: 3.83 Log Pow
- Viscosity:  
Dynamic: Not determined.
- Kinematic: Not determined.
- 9.2 Other information No further relevant information available.

## 10. STABILITY AND REACTIVITY

- 10.1 Reactivity Stable under normal conditions.
- 10.2 Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:  
Formation of toxic gases is possible during heating or in case of fire.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat.
- 10.5 Incompatible materials: Strong oxidizing agents.
- 10.6 Hazardous decomposition products:  
Formation of toxic gases is possible during heating or in case of fire.

## 11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects
- Acute toxicity  
Fatal if swallowed or if inhaled.
- Toxic in contact with skin.
- LD/LC50 values relevant for classification:  
Oral LD50 2 mg/kg (rat)  
Dermal LD50 15 mg/kg (rabbit)  
Inhalative LC50/4 h 0.084 mg/l (rat)
- Primary irritant effect:  
· Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

- 12.1 Toxicity
- Aquatic toxicity:  
LC50/48 0.00231 mg/l (crustacean)  
EC50/72h 10 mg/l (Algae)  
LC50/96 h 1 mg/l (fish)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxicological effects:
  - Remark: Very toxic for fish
  - Additional ecological information:
  - General notes:  
Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
  - vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## 13. DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- Recommendation  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
  - European waste catalogue  
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
  - Uncleaned packaging:
  - Recommendation: Dispose of in accordance with national regulations.

## 14. TRANSPORT INFORMATION

- 14.1 UN-Number
- ADR, IMDG, IATA UN2810
  - ADR 2810 TOXIC LIQUID, ORGANIC, N.O.S. (parathion (ISO)), ENVIRONMENTALLY HAZARDOUS
  - IMDG TOXIC LIQUID, ORGANIC, N.O.S. (parathion (ISO)), MARINE POLLUTANT
  - IATA TOXIC LIQUID, ORGANIC, N.O.S. (parathion (ISO))

#### 14.3 Transport hazard class(es)

- ADR, IMDG
- Class 6.1 Toxic substances.
- Label 6.1
- IATA
- Class 6.1 Toxic substances.
- Label 6.1

#### 14.4 Packing group

- ADR, IMDG, IATA I

#### 14.5 Environmental hazards: Environmentally hazardous substance, liquid; Marine Pollutant

- Marine pollutant: Symbol (fish and tree)
- Special marking (ADR): Symbol (fish and tree)
- 14.6 Special precautions for user Warning: Toxic substances.
- Danger code (Kemler): 66
- EMS Number: F-A,S-A

#### · Stowage Category B

- Stowage Code SW2 Clear of living quarters.

#### 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

#### · Transport/Additional information:

- ADR
- Limited quantities (LQ) 0
- Excepted quantities (EQ) Code: E5
- Maximum net quantity per inner packaging: 1 ml
- Maximum net quantity per outer packaging: 300 ml
- Transport category 1
- Tunnel restriction code C/E
- UN "Model Regulation": UN 2 8 1 0 TOXIC LIQUID, ORGANIC, N.O.S .  
(PARATHION (ISO)), 6.1, I, ENVIRONMENTALLY  
HAZARDOUS

## 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I Substance is not listed.
- Seveso category

#### H2 ACUTE TOXIC

#### E1 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

#### Annex I Part 1

#### Annex I Part 3

#### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!