

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) Classifications according to Regulation (EC) No 1272/2008. Printdate 09 Jan 2023

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product name:

D5-Atrazine

1.1. Catalog No.:

684283

1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical uses: R&D

uses:

1.3. Uses advised against:

HPC Standards GmbH Am Wieseneck 7

04451 Cunnersdorf Deutschland

Tel. +49 34291 3372-36 Fax. +49 34291 3372-39 contact@hpc-standards.com

1.4. Emergency telephone number

HPC Standards Tel. +49 34291 3372-36 This number is only available during office hours.

2. HAZARDS IDENTIFICATION

· Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.
Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2. Label elements

2.2.1. Pictogram







2.2.2.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008



The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms GHS07 GHS08 GHS09

· Signal word Warning

Hăzard statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Chemical characterisation: Substances

· CAS No. Description 163165-75-1 Atrazine-d5

· Identification number(s) None

· EC number: 685-246-2

· Index number: 613-068-00-7

· RTECS: -

Additional information:

For the wording of the listed hazard phrases refer to section 16

This product has been isotopically labelled with deuterium, a stable isotope of hydrogen

3.1.1. Formula

C8H9CID5N5

3.1.2. Molecular Weight (g/mol)

220.71



3.1.3. CAS-No.

163165-75-1

4. FIRST AID MEASURES

- 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

After inhalation:

- After inhalation:
 Supply fresh air and call a doctor.
 In case of unconsciousness place patient in recovery position for transport.
 After skin contact: Immediately wash with water and soap and rinse thoroughly.
 After eye contact: Rinse opened eye for several minutes under running water.
 After swallowing: Rinse mouth. Do not induce vomiting.
 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
 4.3 Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

No further relevant information available.

5. FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.
 5.2 Special hazards arising from the substance or mixture
 Formation of toxic gases is possible during heating or in case of fire.
 5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
 Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Please refer to the manufacturers certificate for specific storage and transport temperature conditions.

Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well ventilated place. Keep away from sources of ignition and heat.

- Information about storage in one common storage facility: Store away from foodstuffs.
 Further information about storage conditions: None.
 7.3 Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: Not required.
 Additional information: Lists used were valid at the time of SDS preparation.
- · 8.2 Exposure controls
- · Personal protective equipment:

General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374

Protective gloves

- · Material of gloves Butyl rubber, BR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9. PHYSICAL AND CHEMICAL PROPERTIES

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance: Form: Solid
- Colour: Off white
- Odour: Odourless
- Odour threshold: Not determined.
 pH-value: Not applicable.
- Change in condition

Melting point/freezing point: 175 °C
Initial boiling point and boiling range: Not determined.
Flash point: Not applicable.
Flammability (solid, gas): Not determined.
Ignition temperature: Not determined

- Decomposition temperature: Not determined.



Auto-ignition temperature: Not determined.

Explosive properties: Not determined.

 Explosion limits: Lower: Not determined. Upper: Not determined.

Vapour pressure: Not applicable.
Density: Not determined.
Relative density Not determined.
Vapour density Not applicable.

Evaporation rate Not applicable.
Solubility in / Miscibility with DMSO (Slightly), Ethanol (Slightly), Methanol (Slightly, Heated)
water: Not determined.

· Partition coefficient: n-octanol/water: 2.61

· Viscosity: Dynamic: Not applicable.

Kinematic: Not applicable.

• 9.2 Other information No further relevant information available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

No further relevant information available.

10.2 Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided:
 Formation of toxic gases is possible during heating or in case of fire.
 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid Heat.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects
 Acute toxicity Based on available data, the classification criteria are not met.
 LD/LC50 values relevant for classification:
 CAS: 1912-24-9 Atrazine (ISO)
 Oral LD50 1,869 mg/kg (rat)
 Dermal LD50 >3,100 mg/kg (rat)
 7500 mg/kg (rabbit)

7,500 mg/kg (rabbit) Inhalative LC50/4 h 5.2 mg/l (rat) LD 50 (Intraperitoneal) 235 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.
Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.
 Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.



12. ECOLOGICAL INFORMATION

- 12.1 Toxicity

· Aquatic toxicity: CAS: 1912-24-9 Atrazine (ISO) LC50/96 h 4.5 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
 12.3 Bioaccumulative potential No further relevant information available.
 12.4 Mobility in soil No further relevant information available.

- · Ecotoxicological effects:
- Remark: Very toxic for fish
- · Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

- Very toxic for aquatic organisms

 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
 vPvB: Not applicable.
 12.6 Other adverse effects No further relevant information available.

13. DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

Uncleaned packaging:

· Recommendation: Dispose of in accordance with national regulations

14. TRANSPORT INFORMATION

- · 14.1 UN-Number
- 14.1 UN-Number
 ADR, IMDG, IATA UN3077
 ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Atrazine-d5)
 IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Atrazine-d5), MARINE POLLUTANT
 IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Atrazine d5)

SOLID, N.O.S. (Atrazine-d5)

- · 14.3 Transport hazard class(es) · ADR, IMDG, IATA
- · Class 9 Miscellaneous dangerous substances and articles.
- Label 9
- 14.4 Packing group
 ADR, IMDG, IATA III
- 14.5 Environmental hazards:
- Marine pollutant: Symbol (fish and tree)
 Special marking (ADR): Symbol (fish and tree)
 Special marking (IATA): Symbol (fish and tree)
- · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.
- · Hazard identification number (Kemler code): 90
- · EMS Number: F-A,S-F
- Stowage Category A
 Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
 14.7 Transport in bulk according to Annex II of



Marpol and the IBC Code Not applicable.

· Transport/Additional information:

Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g

Transport category 3

Tunnel restriction code E
 UN "Model Regulation": UN 3 0 7 7 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ATRAZINE-D5), 9, III

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Directive 2012/18/EU

- Named dangerous substances ANNEX I Substance is not listed.

 Seveso category E1 Hazardous to the Aquatic Environment

 Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

 Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Appen II. electronic equipment - Annex II Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!